



Sierraform[®] GT

Spring Start

Quick reaction for cooler conditions, ideal for spring application.

16 | 0 | 16 | 1 | 0.3
N P2O5 K2O Fe Mn

Guaranteed analysis

Oxide		
N	Total Nitrogen	16%
	Ammoniacal nitrogen (N-NH4)	8.2%
	Urea nitrogen (N-Urea)	2.5%
	Ureaformaldehyde (N-MU)	5.3%
P2O5	Phosphorus Pentoxide	0%
K2O	Potassium Oxide	16%
	Water Soluble (K2O)	16.0%
Fe	Iron	1.00%
Mn	Manganese	0.30%

Description

Spring Start has iron and manganese to boost photosynthesis and colour, and low levels of MU to help your turf start getting greener even when it's still cool. The formulation also contains slow-release potassium, as well as standard-release nitrogen and potassium.

Benefits

- \\ Ideal as the first fertilizer of the season
- \\ Promotes healthy growth, plus better color and photosynthesis
- \\ Phosphate-free to help manage phosphor build-up

How to use

- 1 Apply to dry foliage and irrigate after 1 – 2 days if there is no rainfall. Irrigation helps with dispersion and lowers risk of mower pick-up on close cut surfaces. Watering-in after application will minimize footprint trails. Avoid applying during frosty or drought conditions.
- 2 Delay any vertical cutting and/or grooming until 3 days after application, to allow the granules to properly disperse. Significantly less nitrogen is released when soil temperatures are below 10° C.
- 3 If spilled on pavement, concrete, clothes, etc. brush off immediately as it can stain. Contains iron: do not apply in case of risk of contact with concrete, marble, stone, fabric, or swimming pools.
- 4 If you need more information, please contact your technical support.

Application rates

Recommended Rate:

20 – 30 g/m²

Trial first on a small scale before changing the rate, or any other variables. As circumstances can differ and the application of our products is beyond our control, ICL cannot be held responsible for any adverse results.

Attention

Trial first on a small scale before changing the rate, application, or any other variables. As circumstances can differ and as the application of our products is beyond our control, ICL cannot be held responsible for any adverse results. Contact your ICL advisor for more detailed advice.
